National Section 19



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results **BROWSE** SEARCH

IEEE XPLORE GUIDE

Results for "((differential amplifier and feedback)<in>metadata)"

Your search matched 22 of 1137806 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» <u>New Sea</u>	<u>rch</u>	Modif	fy S	earch · · · · · · · · · · · · · · · · · · ·	
Vari		((differ	rentia	al amplifier 'and' feedback) <in>metadata)</in>	
» Key		□с	hecl	κ to search only within this results set	
IEEE JNL IEEE Journal or Magazine		Display Format: Citation & Abstract			
IEE JNL	IEE Journal or Magazine				
IEEE	IEEE Conference	Select	A	rticle Information	
CNF	Proceeding		1.	A new high-dynamic range dual-loop power-to-current amplifier	
IEE CNF	IEE Conference Proceeding	لبا		van Zeijl, P.T.M.;	
IEEE	IEEE Standard			Solid-State Circuits, IEEE Journal of Volume 24, Issue 3, Jun 1989 Page(s):646 - 650	
STD				AbstractPlus Full Text: PDF(420 KB) IEEE JNL	
			2.	Fully differential operational amplifiers with accurate output balancing Banu, M.; Khoury, J.M.; Tsividis, Y.; Solid-State Circuits, IEEE Journal of	
				Volume 23, Issue 6, Dec. 1988 Page(s):1410 - 1414 AbetroetPlus I Full Toyt: PDF(460 KB) IEEE INI	
			•	AbstractPlus Full Text: PDF(460 KB) IEEE JNL	
			3.	Virtual-ground sensing techniques for a 49-ns/200-MHz access time 1.8-V 256-Mk flash memory Le, B.Q.; Achter, M.; Chin Ghee Chng; Xin Guo; Cleveland, L.; Pau-Ling Chen; Van Bu R.W.; Solid-State Circuits, IEEE Journal of Volume 39, Issue 11, Nov. 2004 Page(s):2014 - 2023	
				AbstractPlus References Full Text: PDF(880 KB) IEEE JNL	
			4.	An 8-Gb/s capacitively coupled receiver with high common-mode rejection for ur Maillard, X.; Kuijk, M.; Solid-State Circuits, IEEE Journal of Volume 39, Issue 11, Nov. 2004 Page(s):1909 - 1915	
	•			AbstractPlus References Full Text: PDF(1160 KB) IEEE JNL	
	•		5.	Nonlinear effects in pseudo differential OTAs with CMFB Mohieldin, A.N.; Sanchez-Sinencio, E.; Silva-Martinez, J.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [s and Systems II: Express Briefs, IEEE Transactions on] Volume 50, Issue 10, Oct. 2003 Page(s):762 - 770	
				AbstractPlus References Full Text: PDF(654 KB) IEEE JNL	
	7		6.	A fully balanced pseudo-differential OTA with common-mode feedforward and in mode feedback detector Mohieldin, A.N.; Sanchez-Sinencio, E.; Silva-Martinez, J.;	

Volume 38, Issue 4, April 2003 Page(s):663 - 668 AbstractPlus | References | Full Text: PDF(485 KB) | IEEE JNL 7. A 1-V transformer-feedback low-noise amplifier for 5-GHz wireless LAN in 0.18-/s Cassan, D.J.; Long, J.R.; Solid-State Circuits, IEEE Journal of Volume 38, Issue 3, March 2003 Page(s):427 - 435 AbstractPlus | References | Full Text: PDF(751 KB) IEEE JNL 8. High linearity and high efficiency of class-B power amplifiers in GaN HEMT technic Paidi, V.; Shouxuan Xie; Coffie, R.; Moran, B.; Heikman, S.; Keller, S.; Chini, A.; DenBa Mishra, U.K.; Long, S.; Rodwell, M.J.W.; Microwave Theory and Techniques, IEEE Transactions on Volume 51, Issue 2, Feb. 2003 Page(s):643 - 652 AbstractPlus | References | Full Text: PDF(723 KB) | IEEE JNL 9. A bootstrap technique for wideband amplifiers Centurelli, F.; Luzzi, R.; Olivieri, M.; Trifiletti, A.; Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [: and Systems I: Regular Papers, IEEE Transactions on] Volume 49, Issue 10, Oct. 2002 Page(s):1474 - 1480 AbstractPlus | References | Full Text: PDF(342 KB) | IEEE JNL 10. Adaptive analog IF signal processor for a wide-band CMOS wireless receiver Behbahani, F.; Karimi-Sanjaani, A.; Wee-Guan Tan; Roithmeier, A.; Leete, J.C.; Hoshir Solid-State Circuits, IEEE Journal of Volume 36, Issue 8, Aug. 2001 Page(s):1205 - 1217 AbstractPlus | References | Full Text: PDF(300 KB) | IEEE JNL 11. A systematic approach in constructing fully differential amplifiers Gonggui Xu; Embabi, S.H.K.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [s and Systems II: Express Briefs, IEEE Transactions on] Volume 47, Issue 11, Nov 2000 Page(s):1343 - 1347 AbstractPlus | References | Full Text: PDF(128 KB) | IEEE JNL 12. A systematic approach in constructing fully differential amplifiers Gonggui Xu; Embabi, S.H.K.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [§ and Systems II: Express Briefs, IEEE Transactions on] Volume 47, Issue 12, Dec. 2000 Page(s):1547 - 1550 AbstractPlus | References | Full Text: PDF(116 KB) | IEEE JNL 13. A CMOS optical preamplifier for wireless infrared communications Khoman Phang; Johns, D.A.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [s and Systems II: Express Briefs, IEEE Transactions on] Volume 46, Issue 7, July 1999 Page(s):852 - 859 AbstractPlus | References | Full Text: PDF(308 KB) | IEEE JNL 14. Analysis and compensation of two-pole amplifiers with a pole-zero doublet Palmisano, G.; Palumbo, G.; Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [: and Systems I: Regular Papers, IEEE Transactions on] Volume 46, Issue 7, July 1999 Page(s):864 - 868 AbstractPlus | References | Full Text: PDF(192 KB) | IEEE JNL

	15. Current-mode approach for wide-gain bandwidth product architecture Lee, CH.; Cornish, J.; McClellan, K.; Choma, J., Jr.; Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [s and Systems II: Express Briefs, IEEE Transactions on] Volume 45, Issue 5, May 1998 Page(s):626 - 631 AbstractPlus References Full Text: PDF(220 KB) IEEE JNL
	16. Common-mode rejection ratio redefined Koide, F.T.; Instrumentation and Measurement, IEEE Transactions on Volume 46, Issue 3, June 1997 Page(s):737 - 739 AbstractPlus References Full Text: PDF(112 KB) IEEE JNL
	Abstractifius References Full Text. DI (TTZ TC)
	17. A 12 GHz 30 dB modular BiCMOS limiting amplifier for 10 Gb SONET receiver Kim, H.; Bauman, J.; Solid-State Circuits Conference, 2000. Digest of Technical Papers. ISSCC. 2000 IEEE 7-9 Feb. 2000 Page(s):160 - 161, 453
	AbstractPlus Full Text: PDF(275 KB) IEEE CNF
	18. Low voltage, high speed fully differential CMOS op amp Grech, I.; Micallef, J.; Vladimirova, T.; Electronics, Circuits and Systems, 2000. ICECS 2000. The 7th IEEE International ConVolume 1, 17-20 Dec. 2000 Page(s):7 - 10 vol.1
	AbstractPlus Full Text: PDF(288 KB) IEEE CNF
	19. A fully balanced programmable sample-hold amplifier for low-voltage application Farag, F.A.; Schneide, M.C.; Galup-Montoro, C.; Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern Symposium on
	Volume 3, 28-31 May 2000 Page(s):443 - 446 vol.3
	AbstractPlus Full Text: PDF(212 KB) IEEE CNF
	20. The new CMOS 2 V low-power IF fully differential Rm-C bandpass amplifier for RI receivers
,	Chung-Yu Wu; Yu Cheng; Jeng Gong; Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern Symposium on Volume 2, 28-31 May 2000 Page(s):633 - 636 vol.2
	AbstractPlus Full Text: PDF(248 KB) IEEE CNF
	21. An accurate self-bias threshold voltage extractor using differential difference fee Cilingiroglu, U.; Hoon, S.K.; Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern Symposium on Volume 5, 28-31 May 2000 Page(s):209 - 212 vol.5
	AbstractPlus Full Text: PDF(252 KB) IEEE CNF
	22. New multiple input fully differential variable gain CMOS instrumentation amplifie Gano, A.J.; Franca, J.E.; Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern Symposium on Volume 4, 28-31 May 2000 Page(s):449 - 452 vol.4
	AbstractPlus Full Text: PDF(316 KB) IEEE CNF
,,,,,,,	

Winspec

Help Contact Us Privacy &:

© Copyright 2005 IEEE -



